


MixMix consists of aluminium profiles with a wave effect. Due to the special shape of the profile, the merchandise support adapter is concealed in a shadow joint. MixMix can be infinitely expanded both horizontally and vertically, and used as a striking brand element. Designed for small items, the profile offers versatile display options: in gondolas, as entire wall panels and on a suspended panel in front of the wall. Merchandise supports are hooked into the profile and can be repositioned anywhere along its length as required – for a personalised layout. A MixMix profile can also be mounted in wooden panels.

MixMix profile single-sided






End profile single-sided top



Universal support bracket



Dimensions



Characteristics

ⓘ Observe the assembly and operating instruction

Weight 10 kg per 1000 mm

Is fitted on the MixMix single-sided profile.

ⓘ Observe the assembly and operating instruction

For decorative panels or acrylic glass boxes.

Max. weight load = 2 kg per adapter

Order number

natural anodised aluminium	
3100 mm	334-789.05
lto 250-3100 mm	334-790.05



End profile must be ordered separately.

natural anodised aluminium	
3100 mm	334-791.05
lto 250-3100 mm	334-792.05

plastic semi-transparent	
	981-287.02

Horizontal support systems



Front arm, straight Ø 8 mm



Max. weight load = 4 kg

chrome / plastic semi-transparent	
100 mm	395-201.42
200 mm	395-202.42
300 mm	395-203.42
silk / plastic semi-transparent	
100 mm	395-201.32
200 mm	395-202.32
300 mm	395-203.32



Hanging frame Ø 15 mm



Max. weight load = 8 kg

chrome / plastic semi-transparent	
	395-206.42
silk / plastic semi-transparent	
	395-206.32



Hook, straight Ø 6 mm



Max. weight load = 1 kg

chrome / plastic semi-transparent	
100 mm	984-510.42
150 mm	984-511.42
200 mm	984-512.42
250 mm	984-513.42



Looped hook Ø 4 mm



Max. weight load = 3 kg

chrome / plastic semi-transparent	
150 mm	984-508.42
200 mm	984-509.42


Eyewear holder Ø 4 mm



Max. weight load = 1 kg

chrome / plastic semi-transparent
984-582.42

Shelf profile



For shelves 6 mm in thickness.

Max. weight load = 10 kg


📄 Drawing no.
 289-876 Glass shelf 6 mm

natural anodised aluminium
 l to 50–3100 mm **334-839.05**

Sliss



100 x



Prevents scratches on hanging rails and front arms in silk or stainless steel.

To clip into coat hanger hook (Ø 3.4–3.8 mm).

transparent
929-449.02

Set of 100 pcs.

Standard surface finishes for basic system



natural anodised aluminium

Standard surface finishes for merchandise supports



silk



chrome