


**MixMix** consists of aluminium profiles with a wave effect. Due to the special shape of the profile, the merchandise support adapter is concealed in a shadow joint. MixMix can be infinitely expanded both horizontally and vertically, and used as a striking brand element. Designed for small items, the profile offers versatile display options: in gondolas, as entire wall panels and on a suspended panel in front of the wall. Merchandise supports are hooked into the profile and can be repositioned anywhere along its length as required – for a personalised layout. A MixMix profile can also be mounted in wooden panels.


### MixMix profile single-sided



### End profile single-sided top






### Universal support bracket



#### Dimensions

Dimensions are generally shown in inches (approximate) and millimeters (exact)



#### Characteristics

- ⓘ Observe the assembly and operating instruction

Weight 22 lbs per 3.94"

Is fitted on the MixMix single-sided profile.

- ⓘ Observe the assembly and operating instruction

For decorative panels or acrylic glass boxes.

Max. weight load = 4.4 lbs per adapter

#### Order number

natural anodised aluminium	
122"	<b>334-789.05</b>
lto 10"-122"	<b>334-790.05</b>



End profile must be ordered separately.

natural anodised aluminium	
122"	<b>334-791.05</b>
lto 10"-122"	<b>334-792.05</b>

plastic semi-transparent	
	<b>981-287.02</b>

Horizontal support systems



Front arm, straight Ø ¼"



Max. weight load = 8.8 lbs

chrome / plastic semi-transparent	
4"	<b>395-201.42</b>
8"	<b>395-202.42</b>
12"	<b>395-203.42</b>
silk / plastic semi-transparent	
4"	<b>395-201.32</b>
8"	<b>395-202.32</b>
12"	<b>395-203.32</b>



Hanging frame Ø ¼"



Max. weight load = 17.6 lbs

chrome / plastic semi-transparent	
	<b>395-206.42</b>
silk / plastic semi-transparent	
	<b>395-206.32</b>



Hook, straight Ø ¼"



Max. weight load = 2.2 lbs

chrome / plastic semi-transparent	
4"	<b>984-510.42</b>
6"	<b>984-511.42</b>
8"	<b>984-512.42</b>
10"	<b>984-513.42</b>



Looped hook Ø ¼"



Max. weight load = 6.6 lbs

chrome / plastic semi-transparent	
6"	<b>984-508.42</b>
8"	<b>984-509.42</b>


**Eyewear holder Ø ½"**



Max. weight load = 2.2 lbs

chrome / plastic semi-transparent  
**984-582.42**

**Shelf profile**



For shelves ¼" in thickness.

Max. weight load = 22.0 lbs


📄 Drawing no.  
289-876 Glass shelf 0.236"

natural anodised aluminium  
l to 2"-122" **334-839.05**

**Sliss**



100 x




Prevents scratches on hanging rails and front arms in silk or stainless steel.

To clip into coat hanger hook (Ø 0.134"-0.150" / Ø 3.4-3.8 mm).

transparent  
**929-449.02**

Set of 100 pcs.

Standard surface finishes for basic system



natural anodised aluminium

Standard surface finishes for merchandise supports



silk



chrome