


Area 13

Manual 2022

visplay


play it smart




Area 13 is a functional single point support system, ideal for displaying lightweight merchandise, such as footwear or accessories, on horizontal surfaces. The round Area 13 socket has an inner diameter of 13 mm and can be embedded in plinths, table tops and feature areas. Shelf supports and sign holders are then simply inserted. In addition to merchandise presentation, Area can also be used for brochure stands, information displays or price labels.



Area 13 socket for wood



Area 13 socket for glass








Shelf support for glass shelf



Dimensions

Dimensions are generally shown in inches (approximate) and millimeters (exact)



Characteristics

Permits the rotation of individual merchandise supports in steps of 90°.

- ⚠ Observe the assembly and operating instruction

Permits the rotation of individual merchandise supports in steps of 90°.

- ⚠ Observe the assembly and operating instruction

For glass shelf of max. Ø 13³/₄". Freely positionable due to 360° rotation.

Is inserted in Area 13 socket.

Glass shelves are bonded to the shelf supports.

Max. weight load = 15.4 lbs

- 📄 Drawing no.: 976-312 Tempered glass shelf 8 mm



Order number

chrome	963-344.01
silk	963-344.30

silk	963-363.30
------	-------------------

silk	398-889.30
black steel duro	398-889.26

Shelf support for wooden shelf





For wooden shelf of max. $\varnothing 13\frac{3}{4}$ ".
Freely positionable due to 360° rotation.

Is inserted in Area 13 socket.

Max. weight load = 15.4 lbs

silk	906-953.30
black steel duro	906-953.26

Sign holder socket




With 90° rotation.

Is screwed to hanging rail or front arm $\varnothing 1$ ".

chrome	929-990.01
silk	929-990.30
black steel duro	929-990.26

Sign holder socket





With 90° rotation.

Is screwed to flat surfaces.

chrome	300-422.01
silk	300-422.30
black steel duro	300-422.26

Sign holder





For vertical presentation. With 90° rotation.

chrome	317-339.01
4" (5" x 7")	317-339.01
8" (5" x 7")	317-341.01
bright silver mistral	
4" (5" x 7")	317-339.66
8" (5" x 7")	317-341.66
black steel duro	
4" (5" x 7")	317-339.26
8" (5" x 7")	317-341.26




Sign holder



For horizontal presentation. With 90° rotation.

chrome	
4" (5" x 7")	317-343.01
8" (5" x 7")	317-345.01
bright silver mistral	
4" (5" x 7")	317-343.66
8" (5" x 7")	317-345.66
black steel duro	
4" (5" x 7")	317-343.26
8" (5" x 7")	317-345.26

Universal magnetic holder



For positioning and securing the sign.

silver	
	981-939.05

Standard surface finishes for basic system



silk



chrome

Standard surface finishes for merchandise supports



silk



chrome



black steel duro*

* Duro surface finishes are ideal for all systems, products and supports that are subject to heavy wear.

ISO 9001 / ISO 14001

The safety of Visplay products is continuously monitored by external testing institutes, Intertek Germany and UL (Underwriters Laboratories Inc.).

For electrified systems, the CE marking confirms conformity with the relevant directives.

All processes in our company are subject to a comprehensive management system which corresponds with the ISO 9001 quality standard and the ISO 14001 environment standard.

Copyright ©

All products by Visplay and their names are protected by intellectual property rights. This protection is valid for the basic system along with the merchandise supports and accessories.

In the event of infringement, Visplay reserves the right to take legal steps.

- Our general conditions of delivery and sale are valid for all orders.
- We reserve the right to make technical and formal alterations.



Dimensions are generally shown in inches (approximate) and millimetres (exact).

lto = Length to order

hto = Height to order

cto = Colour to order

L = Length

A = Axis

H = Height

D = Depth

Delivery time

Please check delivery times with us.

Air freight

Items which are to be dispatched by air must not exceed a total length of 3 metres.

Drawings of wooden and glass shelves

Production drawings of shelves with the 6 digit part number are available for download in the product area and in the download centre at www.visplay.com or can be received on request.

Assembly and operating instructions

Special assembly and operating instructions exist for all products by Visplay in order to guarantee the functions and safety. These instructions contain important information e.g. maximum weight loads, assembly dimensions or information on the correct assembly and use. The respective assembly and operating instructions are included in the delivery of our systems. A general catalogue is also available on request for planning purposes. The assembly and operating instructions are available for download in the product area and in the download centre at www.visplay.com.

You can get in touch with us by email or by phone.
Contact details for our offices can be found here:
www.visplay.com/contact

visplay

www.visplay.com info@visplay.com